

INSTALLATION INSTRUCTIONS

DOWNPOUR SLIM 380MM CEILING SHOWER

M110

progetto
DESIGN COLLECTION






Distributed by:

Plumblīne

T 04 568 9898 E sales@plumblīne.co.nz www.plumblīne.co.nz

Package Contents


	X1
	X1
	X2
	X1
	X4
 Mounting Instructions	X1



Flow rate



Wear protection



We recommend to work with another person




Operating pressure



Water temperature



Plumbing specifications




—◆— l/m rain flow









MIN 1 Bar
MAX 5 Bar
BEST 3 Bar




MAX 70° C
BEST 38°/40° C




	Dynamic pressure (bar) / Flow (l/m)									
Bar	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4	4,5	5
	7,6	10,7	11,9	12,3	12,6	13,2	13,6	13,9	14,2	14,3




6







7




8



Cleaning



Optional



Maintenance & Warranty

IMPORTANT: WE REMIND YOU THAT THE WARRANTY DOES NOT COVER DAMAGE CAUSED BY DEPOSITS OF LIMESCALE/LIMESTONE OR IMPURITIES OR IF THE DEVICE HAS UNDERGONE DIFFERENT CLEANING TREATMENT FROM THOSE SUGGESTED HERE.

To avoid damages to your bathroom or to the purchased equipment, please observe the following recommendations for use:

- Flush the plumbing before connecting the device.
- Periodically clean the water blade to avoid any limescale deposits that could compromise the functionality.

Advice: The installation of a filter and water-softener system improves and extends the life of the devices and of the device itself.

CLEANING OF METAL PARTS:

For an easy cleaning of the metal parts of the product, simply use a soft cloth moistened in water and soap or an anti-limescale detergent.

To avoid spots caused by calcium in the water, we advise drying with a cloth after each use.

Advice: Please use only natural soap-based detergents avoiding those with alcohol, hydrochloric acid or phosphoric acid, bleach, chlorine etc. and those containing abrasive powders.

The warranty does not cover damages caused by:

- Different installation and/or use from those suggested by the operating and maintenance manual.
- Incorrect preparation and implementation of the plumbing.
- Regular and physical wear and tear for correct use.
- Damages caused by limescale/limestone deposits or impurities.

Refer to plumbline.co.nz/warranty-information for full warranty details.

