LAVAMANI 45 WALL BASINS WL1/WL2







**IMPORTANT!** Please read these instructions **prior** to installation

Distributed by:




Exceptional Bathrooms. Exceptional Choice. T 04 568 9898 E sales@plumbline.co.nz www.plumbline.co.nz

## Installation Instructions



 $\Delta$  Important! Before installing, ensure there is sufficient timber framing in the wall to securely fasten your basin to.



## Reccomended SpaceMate Waste Trap


For ease of install we reccomend installing this basin with this SpaceMate Trap.

SpaceMate Basin/Vanity Trap 32mm Code: LT32.40




Installation Instructions Lavamani 45 Round Wall Basin (Code - WL1)





WL1 Reccomeneded waste outet and water inlet positions when installed with a SpaceMate Trap


IMPORTANT: Please note this is the back view



Waste outlet



1. Once the water inlets and waste outlet have been positioned and the wall has been lined, fasten the fixing bracket in place ensuring it is level.




2. Install basin mixer on the basin, checking there is eough length on the flexi hoses.


Install the trap onto the waste pipe in the wall, and fit the bottom half of the top fix waste to the trap.

Measure and adjust the trap to match the basin waste hole setout.


Attach the basin mixer hoses, then lift the basin assembly over the waste setup, tilting to avoid the installed basin bracket, then slide basin down onto the wall bracket ensuring the waste aligns with the waste hole.


To avoid damages we reccomend two installers for this step.






3. Once the basin is sitting on the backet ensure it is sitting level.











Installation Instructions Lavamani 45 Rectangular Wall Basin ) (Code - WL2)



We reccomend the SpaceMate waste trap however it is not required for this basin as there is more space and an open void.




IMPORTANT: Please note this is the back view




1. Once the water inlets and waste outlet have been positioned and the wall has been lined, fasten the fixing bracket in place.

2. Place the basin back against the wall and slide it down onto the fixing piece ensuring the waste trap aligns with the waste hole.





4. Finally fit the basin off with the chosen tapware and waste, then apply a bead of silicone around the back edge of the basin.



3. Once the basin is sitting on the backet ensure it is sitting level.