

INSTALLATION INSTRUCTIONS

REGAL/ARENA BASIN/VESSEL BASIN MIXER

3732.56M | 3772.56M | 3471 | 3472 | 3454TC | 3402 | 1432LTC

OFFICINA
NICOLAZZI
DAL 1960



Distributed by:

Plumblīne

T 04 568 9898 E sales@plumblīne.co.nz
www.plumblīne.co.nz

INSTALLATION INSTRUCTIONS


REGAL/ARENA BASIN/VESSEL BASIN MIXER

3732.56M | 3772.56M | 3471 | 3472 | 3454TC | 3402 | 1432LTC

OFFICINA
NICOLAZZI
DAL 1960


1

Firstly, insert the hot and cold water flexible hoses into the inlets on mixer.



2

Screw the threaded rod into the body of the mixer. Place the mixer down to sit in the taphole, ensure the O-ring is sitting between the bench and base ring of the tap.



INSTALLATION INSTRUCTIONS


REGAL/ARENA BASIN/VESSEL BASIN MIXER

3732.56M | 3772.56M | 3471 | 3472 | 3454TC | 3402 | 1432LTC

OFFICINA
NICOLAZZI
DAL 1960


3

Push the rubber washer then the brass fixing piece up to the underside of the taphole, then fasten the mixer in place with the locking nut.



4

Flush out the pipework then connect the hot and cold flexible hoses to the outlets and test the mixer for performance.



V 15/01/2024

Distributed by:

Plumbline

T 04 568 9898 E sales@plumblin.co.nz
www.plumblin.co.nz